



All over the world first company for Cordless exquisite household tools and cordless outdoor camping equipment tools



Wechat



www.hangtalktools.com

0086-15968007065
0086-0574-28801022

NINGBO KINGSON TOOLS CO., LTD

Fax:0086-0574-87817257 Email:info@hangtalktools.com

Add:No.2 Yuetong Town , Jishigang ,haishu District Ningbo, Zhejiang, China

GLOBAL YARD



Lithium Battery Tools

2026 catalog



GLOBAL YARD

NINGBO KINGSON TOOLS CO., LTD all over the world professional manufacture and supplier of Cordless exquisite household tools and cordless outdoor camping equipment tools company . The company headquartered group in NingBo and recognized as the world's in consumer goods design, development, sourcing and distribution. Best technical and quality let we can cooperation with most of worlds famous brand . The Company specializes in supply chain management of high-volume, time-sensitive goods of all of our customer .

NINGBO KINGSON TOOLS CO., LTD provides sophisticated, one-stop-shop supply chain solutions to meet customers' specific needs. From product design, raw material sourcing and production management to quality control, logistics, shipping and other important functions, its spectrum of services covers the entire supply chain end-to-end. Over the years, GLOBALYARD has won numerous industry

accolades for its performance, governance and sustainability. The Company is committed to the highest operational standards, conducting its business with integrity and good corporate governance practices with control best quality We believe that make best quality is based on the words "it's just the right thing to do"



GLOBAL YARD
TECHNOLOGY



GY Brushless Drill



GY-01 CORDLESS DRILL

Parameter

Rated Voltage	12V d.c.	Soft start	
Motor	3820 brushless	Capacity	2000mah
Motor Type	Brushless Motor	With a TYPE-C cable 50cm	
No Load Speed	0-450rpm/0-1450rpm		
Max Torque	26N.m		
Torque Setting	30 electronic regulation		
Chuck Capacity	0.8-10mm		
Charging	1M type-c		
LED light With Battery Indicator			

CORDLESS DRILL GY-02

Parameter

Rated Voltage	7.2V d.c.
Motor Type	Brushless Motor
No Load Speed	0-450rpm/0-1450rpm
Max Torque	10N.m
Chuck Capacity	0.8-10mm
LED light With Battery Indicator	
Capacity	2000mah
With a TYPE-C cable	50cm



GY-03 CORDLESS DRILL

Parameter

Rated Voltage	16.8V d.c.
Motor	3522
Motor Type	Brushless Motor
No Load Speed	0-400/0-700/0-850/0-1000rpm
Max Torque	Max. 60N.m
Torque Setting	small screw, middle screw, big screw, drill mode, auto mode
Chuck Capacity	0.8-10mm half metal without spindle lock
Adaptive Torque, Touch-Sensitive Display and Waterproof Battery Magazine	
LED light With Battery Indicator	



 small screw
  middle screw
  big screw
  drill mode
  auto mode



GY-04 MINI CORDLESS PRESSURE WATER GUN

Parameter

Power	100W
Battery pack	7.2V/4Ah
Water flow rate	1.5L/min
Plunger pump	PLASTIC PUMP
Max.pressure	12BAR
Pressure distance	4-5m
Water settings	0°, 40° (shower)
Charging time	3.5hours
Battery endurance	20min
Machine weight	0.7kg

GY-07 MINI CORDLESS INTEGRATED POLISHING MACHINE

Parameter

Rated voltage	3.6V	Motor	brushless
Amperage or capacity	300Ma	Work temperature	-10°Cto +60°C
Power	10W	Maximum voltage	3.6V
Autonomy per battery	2-2.5h	Warranty	elecic mini pallzhing 2years battery1 year
Charging time	2-2.5h		
Rate speed rpm	5000rpm/min 10000rpm/min 18000rpm/min		
	3 speed adjustbale		
Chuck Capacity	2.35mm		



MINI CORDLESS PRESSURE WATER GUN GY-05

Parameter

Power	100W
Battery pack	7.2v/4AH
Water flow rate	1.5L/min
Plunger pump	PLASTIC PUMP
Max.pressure	12BAR
Pressure distance	4-5M
Water settings	0°, 40° (shower)
Charging time	3.5hours
Battery endurance	20min
Machine weight	0.7kgs



MINI CORDLESS SCREWDRIVER GY-08

Parameter

Rated Voltage	3.6V d.c
Motor Type	brushless motor
No Load Speed	0-200rpm
Max Torque	2.6N.M
Min torque	1NM
Chuck Capacity	6.35mm
LED light	
With Battery Indicator	
Capacity	1500mah
With a TYPE-C cable 50cm	



GY-06 MINI CORDLESS SCREWDRIVER

Parameter

Rated voltage	3.6V	Motor	brushless
Amperage or capacity	280Ma	Work temperature	-10°Cto +60°C
Power	10W	Maximum voltage	3.6V
Autonomy per battery	2-2.5h	Warranty	elecic mini pallzhing 2years battery1 year
Charging time	2-2.5h		
Rate speed rpm	500rpm/min		
Speed 1	0.2KGF/CM		
Speed 2:	0.3KGF/CM		
Speed 3	0.4KGF/CM		
Speed 4	0.5KGF/CM		
Speed 5	0.5KGF/CM		



GY-09 MINI CORDLESS DRILL

Parameter

Rated Voltage	3.6V d.c
Motor Type	brushless motor
No Load Speed	0-220rpm
Max Torque	3N.M
Min torque	1NM
Chuck Capacity	6.35mm
LED light	
With Battery Indicator	
Capacity	1500mah
With a TYPE-C cable 50cm	



GY-10 MINI CORDLESS DRILL

Parameter

Rated Voltage	3.6V d.c
Motor Type	brushless motor
No Load Speed	0-220rpm
Max Torque	4N.M
Min torque	1NM
Chuck Capacity	6.35mm
LED light	
With Battery Indicator	
Capacity	1500mah
With a TYPE-C cable 50cm	



GY-13 ELECTRIC PRUNING SHEARS

Parameter

Rated Voltage	3.6V ,2.5AH
Pruner Weight (with battery)	0.65kg
Battery weight	0.05kg
A complete weight	0.8kg
Cutting diameter	18mm
Power	260W
Charger time	2-2.5h
Motor	Brushless
Battery	Li-battery
Certificate	CE
Warranty against manufacturing faults	24months

MINI CORDLESS DRILL

Parameter

GY-11



Rated Voltage	3.6V d.c
Motor Type	brushless motor
No Load Speed	0-220rpm
Max Torque	5N.m Electric and handle is 10NM
Min torque	1NM
Chuck Capacity	6.35mm
LED light	
With Battery Indicator	1500mah
Capacity	
With a TYPE-C cable 50cm	1500mah

CORDLESS CHAIN SAW

Parameter

GY-14



Rated Voltage	12V d.c
Motor	3820 brushless
Motor Type	Brushless Motor
No Load Speed	0-450rpm/0-1450rpm
Bar inch	4 inch
Charging	1M type-c
LED light	
With Battery Indicator	
Soft start	
Capacity	2000mah
With a TYPE-C cable 50cm	

GY-12 MINI CORDLESS DRILL

Parameter



Rated Voltage	3.6V d.c
Motor Type	brushless motor
No Load Speed	0-220rpm
Max Torque	5N.m Electric and handle is 10NM
Min torque	1NM
Chuck Capacity	6.35mm
LED light	
With Battery Indicator	
Capacity	1500mah
With a TYPE-C cable 50cm	



GY-15 CORDLESS AIR BLOWER

Parameter

Product weight(with battery)	1.08kg	Maximum power	150W
Battery weight	0.25kg	Motor	Brushless
A complete weight	1.78kg	Work temperature	-10°C to +60°C
Battery	Lithium	Maximum voltage	21V
Rated voltage	21V	RPM	18000rpm
Amperage or capacity	3Ah	Air pressure	29kpa
Autonomy per battery	2-2.5h	Air speed	68m/s
Charging time	2-2.5h		
Warranty: cordless blower 2 years battery:1 year			



GY-16 MINI CORDLESS PORTABLE AIR PUMP CORDLESS CAR TIRES INFLATOR PUMP Parameter

Voltage	21V 2AH
Power	80W
Working time	12minus
Flow	21L/min
Pressure	150PSI/10.3bar
Weight	0.4kgs



GY-19 CORDLESS VACUMMER AND AIR BLOWER Parameter

Voltage	7.4V2600mH	Blowing force	120g
Power	50W	Weight	230g
RPM	150000rpm	Temperature rise	20 degree
Cover	ABS	Charger voltage	5V
Pressure	5000pa	Charger current	2A
Motor	brushless motor	Working currenct	5A
Wind speed	39.5m/s	Product size	120*105*33mm
Speed 1 working time	3hrs		
Speed 2 working time	2hrs		
Speed 3 working time	1hrs		
Speed 4 working time	45 minus		
Speed 5working time	30 minus		
Speed 6working time	20 minus		

GY-17 MINI CORDLESS PORTABLE AIR PUMP CORDLESS CAR TIRES INFLATOR PUMP Parameter

Voltage	21V 2AH
Power	110W
Working time	20minus
Flow	25L/min
Pressure	150PSI/10.3bar
Weight	1.3kgs



GY-20 CORDLESS VACUMMER AND AIR BLOWER Parameter

SIZE	40mm
Voltage	16.8V
Speed	60m/s
Power	420W
Blow pressure	600g
Speed	100 speed
Battery	16000mah
With led	



GY-18 CORDLESS VACUMMER AND AIR BLOWER Parameter

Voltage	7.4V2600mH	Blowing force	120g
Power	50W	Weight	230g
RPM	130000rpm	Temperature rise	20 degree
Cover	ABS	Charger voltage	5V
Pressure	5000pa	Charger current	2A
Motor	brushless motor	Working currenct	5A
Wind speed	39.5m/s	Product size	120*105*33mm
Speed 1 working time	3hrs		
Speed 2 working time	2hrs		
Speed 3 working time	1hrs		
Speed 4 working time	45 minus		
Speed 5working time	30 minus		
Speed 6working time	20 minus		



GY-21 CORDLESS AIR BLOWER Parameter

Product weight(with battery)	0.58kg	Work temperature	-10°C to+60°C
Battery weight	0.25kg	Maximum voltage	21V
A complete weight	0.78kg	Rpm	130000rpm
Battery	Lithium	Air pressure	18kpa
Rated voltage	21V	Air speed	53m/s
Amperage or capacity	2Ah		
Autonomy pei battery	2-2.5h		
Charging time	2-2.5h		
Warranty	cordless blower 2 years battery 1 year		
Maximum power	150W		
Motor	Brush Motor		

GY-22 PORTABLE CORDLESS SOLDERING IRONS

Parameter



Voltage	4.2V
Power	8-10W
3 Temperature indicate from	330 °C---450°C
Green color	370 °C continus 100minus
Blue color	400 °C continus 60minus
Red color	430 °C continus 45minus
Heating time	10S

GY-25 CORDLESS STAPLE GUN BRAD NAIL GUN

Parameter



Voltage	3.7v 2000mah
Power	8-20W
Magazine Capacity	100RCS
Impact Rate	50/min
Suitable brad nails	6-10mm (1/4"- 3/8") length,18 Gauge, Type 50
Suitable staples	6-10mm (1/4"-3/8") length, Type 47

GY-23 MINI CORDLESS GLUE GUN

Parameter



Voltage	4.2V
Power	8-20W
Heating time	50S
Temperature indicate from	160 °C
Glue stick size	7mm dia

GY-26 2L ELECTRIC SPRAYER

Parameter



Voltage	3.6V
Power	3W
Battery	2000Mah
Tank	2L

GY-24 MINI CORDLESS HOT MELT GLUE

Parameter



Voltage	4.2V
Power	8-20W
Heating time	30S
Temperature indicate from	160 °C
Glue stick size	7mm dia
Length	150mm

GY-27 2L ELECTRIC FOAM SPRAYER

Parameter



Voltage	3.6V
Power	3W
Battery	2000Mah
Tank	2L



GY-28 ELECTRIC FABRIC CUTTER SCISSORS

Parameter

Voltage	3.6V
Power	10W
Battery	2000Mah
RPM	11000Rpm
Charger time	2hrs
Cutting capacity	Textile :8mm ; leather :8mm Felted texture:6mm ;cardboard:1.8mm Fabric carpet "3.5mm ;aluminu :0.4mm Corrugated board:6mm ;Carpet :3.5mm Platic :3mm ;Plant stem :2mm Hard leather :1.5mm ;PVC plastic :3mm

GY-29 ELECTRIC FABRIC CUTTER SCISSORS

Parameter

Voltage	3.6V
Power	10W
Battery	2000Mah
RPM	11000Rpm
Charger time	2hrs
Cutting capacity	Textile :8mm ; leather :8mm Felted texture:6mm ;cardboard:1.8mm Fabric carpet "3.5mm ;aluminu :0.4mm Corrugated board:6mm ;Carpet :3.5mm Platic :3mm ;Plant stem :2mm Hard leather :1.5mm ;PVC plastic :3mm



GY-30 MINI CORDLESS ANGLE GRINDER

Parameter

Voltage	12V 1500Mah
Power	400W
saw blade diameter	75mm(3 inch)
RPM	15000rpm/min
Motor	brushless motor



GY-31 MINI CORDLESS ANGLE GRINDER

Parameter

Voltage	7.4V
Speed	6000rpm
Spindle thread	-M5
Slice diameter	50mm-75mm
Motor type	brushless motor
Spindle thread	M5



GY-32 MINI CORDLESS PLASTIC WELDING GUN

Parameter

Voltage	3.6V 5000Mah
Power	200W
Working time	2hrs
4 level power output	50mm-75mm
Stapler	0.8mm
Output	65A





GY-33 CORDLESS MASSAGE GUN

Parameter

Voltage	12V
Power	20W
Deep impact	10mm
RPM	3200rpm/min
Working time	3-6hrs
Noise	≤60db
Speed	30 speed

GY-34 SMART TRASH CAN INTELLIGENT TRASH BIN

Parameter

Voltage	4.2V
Power	3W
Tank	12L
Charger time	5hrs
Speed	2s



GY-35 OUTDOOR ENERGY STORAGE POWER SUPPLY

Parameter

Voltage	21V 2AH
AC output	300W
Usb 2.0 output	5V 2.0A
Usb 3.0 output	5V 3.0A
TYPE C Output	30W
Wireless charger	12V
Speaker output	30W



GY-36 ELECTRIC BREAD KNIFE

Parameter

Voltage	8V Max
Battery Capacity	2000mah
No-load Speed	3000rpm
Cutting Capacity	9"
Auto Shut Off	30 seconds
Weight	0.53kg
Tool Size	10.7" x 2.2" x 1.7"
Acc:	INCLUDING Electric Knife 2x Stainless Steel Carving Blades USB Charging Cable



FEATURE:

- 1.Ergonomic Design Ensures Comfortable Handling and Slicing.
- 2.Built-in LED Work Light Illuminates the Dark Area.
- 3.Battery and Charging Indicator Shows Power Level During Working Process.
- 4.Quick Release System Allows Blade Change Quickly.
- 5.Vegatable, Meats & Breads, Also Can Be Foam Cutter in Craft and DIY Projects.

GY-37 ELECTRIC FISH KNIFE

Parameter

Product weight(with battery)	0.76kg	Warranty	electric fishing fillet knife:2 years battery:1 year
Battery weight	0.18kg	Maximum power	250W
A complete set weight	2.1kg	Motor	brush
Battery	Lithium	Work temperature	-10°C to +60°C
Rate voltage	7.2V	Maximum voltage	7.2V
Amperage or capacity	4Ah	No-load speed	8000rpm
Autonomy per battery	2h	Blade	7" E-FLEX,9" E-FLEX,9" E-STIFF,and 12" E-STIFF
Charging time	2-2.5h		



GY-38

PORTABLE STAINLESS STEEL ELECTRIC NOODLE SPAGHETTI MACHINE

Parameter



Voltage	4.2V
Power	40W
capacity	200g flour

GY-41

WINDOW GLASS CLEANING ROBOT

Parameter



Product weight(with battery)	1.04kg	Maximum power	70W
Battery weight	0.05kg	Motor	brushless
A complete set weight	1.09kg	Work temperature	-10°C to +60°C
Battery	Lithium	Maximum voltage	14.8V
Rate voltage	14.8V	Suction	5600Pa
Amperage or capacity	500MAH	Size	290*144*70mm
Autonomy per battery	2-2.5h	Water tank capacity(m)	30*2
Charging	2-2.5h	Anti-fall controll Ups device&safety rope	
Warranty machine:2 years battery:1 years		Noise	<65db

GY-39

5 IN 1 ELECTRIC CLEANING BRUSH

Parameter

Voltage	4.2V 2ah
Power	2.5W
Rpm	200rpm
Speed	3 speed



GY-42

PORTABLE DENTAL IRRIGATOR/ELECTRIC TOOTH PUNCH

Parameter

Voltage	4.2V 1500mah
Power	2.5W
Speed	3 speed
Tank	200ML



GY-40

5 IN 1 ELECTRIC WINDOW CLEANER
CLEANING WIPER AND VACUUM CLEANER

Parameter

Voltage	7.2V 2ah
Vacuumm clean	0.1L
Product suction	5000PA



GY-43

CORLDESS HIGHER PRESSURE WATER GUN
WIRELESS HIGH PRESSURE WATER GUN

Parameter



Product weight(with battery)	2.7kg	Maximum power	480W
Battery weight	0.62kg	Motor	brushless
A complete set weight	4.6kg	Work temperature	-10°C to +60°C
Battery	Lithium	Maximum voltage	21V
Rate voltage	21V	Pressure	30bar
Amperage or capacity	4AH	Size	290*144*70mm
Autonomy per battery	2-2.5h	Water settings	0°, 40°(shower)
Charging	2-2.5h	Water flow rate	3L/min
Warranty machine:2 years battery:1 years		Battery endurance	32min



GY-44 CORDLESS BLAST BROOM AND CORDLESS BLOWER

A complete set weight	2.78KG	Blower rpm	15000rpm
Battery	Lithium	Blower air flow	75cgm
Rate voltage	7.4V	Normal speed	10krpm and 30 mins for high speed(15krpm)
Amperage or capacity	2.5Ah	Broom handle 3pcs threaded	25mm diameter
Autonomy per battery	2-2.5h	Top pole	17.125" long 1.375" dia
Charging time	2-2.5h	Mid pole	16.75" long 990" dia
Warranty	machine:2 years Battery:1 years	Bottom pole	16.75" length 1.365" dia
Maximum power	260W	Bristle housing	9.75" length 10" height 1.55width
Motor	brush motor	Treating stone surfaces	Φ100mm,160mm wide
Work temperature	-10°C to +60°C	Joint cleaning with sire brush and nylon brush	φ100mm
Maximum voltage	7.4V	Φ28mm aluminum tube adjustable in height to be adapted	To the individual body height(telescopic range 29cm)

CORDLESS VACUUM CLEANER GY-45

Product weight(with battery)	1.59kg	Maximum power	800W
Battery weight	0.65kg	No loading speed	3000rpm
A complete set weight	2.68kg	Motor	brushless
Battery	Lithium	Maximum voltage	21V
Rate voltage	21V	Noise	75-89db
Amperage or capacity	4Ah	Maximum air flow rate	150L/s
Autonomy per battery	2-2.5h	Suction power(airwatts)	50-80AW
Charging	2-2.5h	Tank	0.7L
Warranty	against manufacturing faults 12months	Certificate	CE



HIGH TEMP PORTABLE CLEANING MACHINE CLEANING GY-48

Product weight(with battery)	1.4kg
A complete set weight	1.5kg
Voltage	110V-240V
Pressure	3bar
Power	2500W
Tank	1.1L
Wire length	1.5m
Product size	20*14.5*13cm



GY-47 CORDLESS SPEAKER

Product weight(with battery)	0.89kg	Max power	25W
Battery weight	0.65kg	Work temperature	-10°C to +100°C
A complete set weight	1.68kg	Maximum voltage	21V
Battery	Lithium	Bluetooth connect	
Rate voltage	21V	Machine can charger mobile	
Amperage or capacity	4Ah		
Working time	24h		
Charging time	2-2.5h		
Warranty	out door machine: 2 years battery: 1 year		



GY-46 CORDLESS FANS

Battery weight	0.65kg	Max power	30W
A complete set weight	1.29kg	Motor	brush
Battery	Lithium	Work temperature	-10°C to 60°C
Rate voltage	21V	Maximum voltage	21V
Amperage or capacity	3AH	Size	10inch
Autonomy per battery	2-2.5h		
Charging time	2-2.5h		
Warranty	cordless fan 2 years battery:1 year		



GY-49 UV LIGHT LED FLASHLIGHT WATERPROOF ALUMINUM ALLOY LED LIGHT

Voltage	3.6V 1200Mah
Power	3W
MOULD	3MOULD (Strong light, flashing, high transparency)
Lifespan (hours)	50000
Material	Aluminum Alloy
Color Temperature Cct	4100k neutral white
Color Rendering Index(Ra)	80



GY-50 UV LIGHT LED FLASHLIGHT WATERPROOF ALUMINUM ALLOY LED LIGHT

Parameter



Voltage	3.6V 1200Mah
Power	3W
MOULD	3MOULD (Strong light, flashing, high transparency)
Lifespan (hours)	50000
Material	Aluminum Alloy
Color Temperature Cct	4100k neutral white
Color Rendering Index(Ra)	80

GY-53 CORDLESS LED LAMP FOR GROWING PLANTS

Parameter



Product weight	2.2kg
A complete set weight	2.9kg
Rate voltage	110V or 220V
Charger	12V DC 2A
Power rating	35W
Number or led light	168
Warranty	machine:2 years
Pot capacity	4L
Main luminous flux of lamps(lm)	350lumen
Cable length	4.25 feet
Material	ABS

CORDLESS GLOW LIGHT INDOOR PLANT

GY-51

Parameter

Product weight	1.2kg
A complete set weight	1.6kg
Rate voltage	110V or 220V
Charger	12V DC 2A
Power rating	25W
Number or led light	50
Warranty	machine:2 years
Pot capacity	1.6L
Main luminous flux of lamps(lm)	350lumen
Cable length	4.25 feet
Material	ABS



GY-54 ULV COLD FOGGER

Parameter

Product weight(with battery)	0.8kg	Max power	50W
Battery weight	0.18kg	Motor	brush
A complete set weight	1.52kg	Work temperature	-10°C to 60°C
Battery	Lithium	Maximum voltage	10.8V
Rate voltage	10.8V	Max flue	80ml/min
Amperage or capacity	2.5AH	Sprayer particle	<50um
Autonomy per battery	2-2.5h	Sprayer distance	1.5-2.2m
Charging time	2-2.5h	Power rate	0.3-3W
Warranty electric sprayer 2 years battery:1 year			



GY-52 LED FOCUSING CLIP PLANT LAMP

Parameter



Product weight	1.6kg
A complete set weight	2.2kg
Rate voltage	110V or 220V
Charger	12V DC 2A
Power rating	30W
Number or led light	98
Warranty	machine:2 years
Pot capacity	2L
Main luminous flux of lamps(lm)	350lumen
Cable length	4.25 feet
Material	ABS

GY-55 ELECTRIC GRASS TRIMMER

Parameter



Product weight(with battery)	0.95kg
Battery weight	0.2kg
A complete set weight	1.15V
Battery	Lithium
Rate voltage	10.8V
Amperage or capacity	1.5Ah
No loading speed	16500rpm/min
1 battery working time	50min
Warranty	mini hand trimmer:2 years Battery:1 years
Maximum power	80W
Machine	Brush motor
Work temperature	-10°C to +60°C
Maximum voltage	10.8V



DC

GLOBAL YARD

HOUSEHOLD



GY-56 MINI CORDLESS HOT MELT GLUE

Parameter

Voltage	12V
Heating time	15 second
Temperature	160°C
Led light	yes
Glue stick	7mm

GY-57 CORDLESS STAPLE GUN BRAD NAIL GUN

Parameter

Voltage	12V
Nailing speed	60pcs/min
Nail capacity	100pcs
Bosch 53# staple	6-14mm
Type #47 nail	15mm



GY-58 CORDLESS BLOWER

Parameter

Voltage	12V
Max air volume	4.98m ³
Max wind speed	177m/s
Noise level	78db



GY-59 ELECTRIC CORDLESS PLANER

Parameter



Voltage	12V
No loading speed	14500rpm/min
Planing width	55mm
Planing depth	1mm

GY-62 CORDLESS DRILL

Parameter



Voltage	12V
Motor	550#
No load speed	0-400/0-1300rpm
Impact rate	0-6000/0-19500bpm
Torque setting	21+1+1
Torque	32NM
Chuck size	0.8-10mm plastic
Wood; Metal; Concrete	Φ20mm、Φ8mm、Φ6mm

GY-60 CORDLESS POLISHER

Parameter

Rated voltage	12V
Motor type	550#
Vibration frequency	0-8000rpm/min
Torque adjustment	1+6
Cucker size	Φ150mm



GY-63 CORDLESS DRILL

Parameter

Voltage	12V
Motor	BL motor
No load speed	0-400/0-1300rpm
Torque setting	20+1
Torque	32NM
Chuck size	0.8-10mm plastic
Wood; Metal; Concrete	Φ20mm、Φ8mm、Φ6mm



GY-61 CORDLESS DRILL

Parameter



Voltage	12V
Motor type	550#
No load speed	0-400/0-1300rpm
Torque setting	20+1
Torque	32NM
Chuck size	0.8-10mm plastic
Wood/Metal	Φ20mm/Φ8mm

GY-64 CORDLESS DRILL

Parameter



Voltage	12V
Motor	BL motor
No load speed	0-400/0-1300rpm
Impact rate	0-6000/0-19500bpm
Torque setting	21+1+1
Torque	32NM
Chuck size	0.8-10mm plastic
Wood; Metal; Concrete	Φ20mm、Φ8mm、Φ6mm



GY-65 CORDLESS HAMMER

Parameter

Voltage	12V
Motor	650#
No load speed	0-1100rpm
Impact rate	0-6000bpm
Power	1J
2 function	drill/hammer
Wood; Metal; Concrete	Φ25mm、Φ10mm、Φ8mm



GY-68 CORDLESS GRASS TRIMMER

Parameter

Rated voltage	12V
Motor	550#
No load speed	1300rpm
Shear blade width	70mm
Trimmer blade length	180mm
Accessories	
1pc trimming blade	180mm

GY-66 CORDLESS JIG SAW

Parameter

Voltage	12V	Accessories	1pc HCS 100mm wood saw
Motor	650#		1pc HSS 70mm metal saw
No load speed	1500-2800rpm		1pc hex wrench
Working distance	18mm		1pc guide ruler
Working angle range	0°-45°		1pc dust tube
Wood; alu; alloy	50/3/3mm		



GY-69 CORDLESS CIRCULAR SAW

Parameter

Voltage	12V
Motor	755#
No load speed	1450rpm
Cutting saw size	Φ85xΦ15x1mmx20T
Cutting depth	26.5mm in 90°
Cutting depth	17.0mm in 45°
Accessories	1pc cutting saw
	1pc small spanner
	1pc guide ruler



GY-67 CORDLESS RECIPROCATING SAW

Parameter

Voltage	12V
Motor	550#
No load speed	0-2700rpm
Forward and back distance	20mm
Blade size	15cm
MAX Branch Dia	Φ65mm
Accessories	1pc saw
wood saw size	152*19*1.2*77mm



GY-70 CORDLESS ANGLE GRINDER

Parameter

Voltage	12V
Motor	735#
No load speed	12000-19500rpm
Cutting saw size	Φ76x1mm
Accessories	1pc cutting saw, 1pc small spanner
resin cutting sheet	Φ76*1*10mm
suitable for cutting plastic /pvc tube and so on	





GY-71 CORDLESS POLISHER

Parameter



Voltage	12V
Motor	550#
No load speed	0-2600/0-7800rpm
Polisher Diameter	Φ75mm
Accessories	1pc handle
	1pc 75mm bottom plate
	2pcs grinding plate
	1pc fake fur attachment
	5pcs sanding paper (60#X1 , 120#X2, 240#X2)

GY-72 CORDLESS SANDER

Parameter

Voltage	12V
Motor	395#
No load speed	13000rpm
Sandingpaper size	Φ80*Φ80*1mm
Accessories	1pc handle
	1pc dust bag
	3pcs sanding paper: 60#, 120#, 240#



GY-73 CORDLESS MULTI GRINDER

Parameter



Voltage	12V
Motor	395#
No load speed	5000-25000rpm
Variable speed	1-6-max
Collet size	3.2mm



Fashion design



GY-74 CORDLESS MULTIFUNCTION TOOLS Parameter



Rated voltage	12V
Motor	550#
No load speed	5000-18000rpm
Swipping angle	3.2°
Accessories	3pc sanding papaer: 60#, 120#, 240# 1pc dust tube 1pc saw blade 1pc E type saw blade

GY-77 CORDLESS RATCHET WRENCH Parameter



Voltage	12V
Motor	540#
No load speed	300rpm
Torque	45NM
Chuck size	3/8"
Accessories	1pc ϕ 10 sleeve

GY-75 CORDLESS WRENCH Parameter

Voltage	12V
Motor	550#
No load speed	0-2700rpm
Chuck size	3/8"
Hard torque	120NM
Impact rate	0-3800bpm



GY-78 CORDLESS SCREWDRIVER Parameter

Voltage	12V
Motor	550#
No load speed	0-2700rpm
Chuck size	1/4"
Hard torque	120NM
Impact rate	0-3800bpm
Accessories	no



GY-76 CORDLESS WRENCH Parameter



Voltage	12V
Motor	BL motor
No load speed	0-2400rpm
Chuck size	3/8"
Hard torque	120NM
Impact rate	0-3400bpm



GY-79 CORDLESS WRENCH Parameter

Voltage	12V
Motor	BL motor
No load speed	0-2400rpm
Chuck size	1/4"
Hard torque	120NM
Impact rate	0-3400bpm



GY-80 CORDLESS LED LIGHT

Parameter

Voltage	12V
Light power	300lm
Working time	3h

GY-81 CORDLES TILE VIBRATOR SUCTION CUP

Parameter

Rated voltage	12V
Motor type	550#
Vibration frequency	0-8000rpm
Torque adjustment	1+6
Cucker size	Φ135mm



GY-82 CORDLESS LED LIGHT

Parameter

Voltage	12V
Running time	180min/Ah
Light power	300lumen
LED qty	6pcs



GY-83 CORDLESS CHAIN SAW

Parameter

Voltage	12V
Motor	540#
No load speed	3500r/min
Max pressure	7bar
Various adjustment	BAR/PSI
1pc 13mm Quick locking pipe	
1pc Swimming ring adapter	
1pc ball needle	
1pc valve adapter	

GY-84

Battery Parameter



GY-85

Type C Wire Parameter



OUTDOOR

FASION DESIGN



GY-86 OUTDOOR POWER SUPPLY

Parameter



Product weight(with battery)	3.39kg	Maximum	350W
Battery weight	0.65kg	Output	5V Usb 5V Type C
A complete set weight	5.7kg	Maximun voltage	21V
Battery	Lithium	Wireless mobile phone charging	
Rate voltage	21V	30W bluetooth speaker	
Amperage or capacity	6Ah		
Charging time	4h		
Warranty	battery: 1 year		

CORDLESS RADIO AND BLUETOOTH SPEAKER GY-87

Parameter

Product weight(with battery)	0.89kg	Maximum	25W
Battery weight	0.65kg	Work temperature	-10°C to +100°C
A complete set weight	1.68kg	Maximun voltage	21V
Battery	Lithium	Auxiliary jack	3.5mm
Rate voltage	21V	Bluetooth connect	
Amperage or capacity	4Ah	Machine can charger mobile	
Working time	24h	Am frequency	522-1710Khz
Charging time	2-2.5h	Fm frequency	87.5-108Mhz
Warranty	bluetooth speaker:2years battery: 1 year		



GY-88 CORDLESS RADIO AND BLUETOOTH SPEAKER

Parameter



Product weight(with battery)	1.89kg	Maximum	25W
Battery weight	0.65kg	Work temperature	-10°C to +100°C
A complete set weight	2.68kg	Maximun voltage	21V
Battery	Lithium	Auxiliary jack	3.5mm
Rate voltage	21V	Bluetooth connect	
Amperage or capacity	4Ah	Machine can charger mobile	
Working time	24h	Am frequency	522-1710Khz
Charging time	2-2.5h	Fm frequency	87.5-108Mhz
Warranty	bluetooth speaker:2years battery: 1 year		



GY-89 BLUETOOTH SPEAKER

Product weight(with battery)	0.89kg	Maximum	25W
Battery weight	0.65kg	Work temperature	-10°C to +100°C
A complete set weight	1.68kg	Maximun voltage	21V
Battery	Lithium		Bluetooth connect
Rate voltage	21V		Machine can charger mobile
Amperage or capacity	4Ah		
Working time	24h		
Charging time	2-2.5h		
Warranty	bluetooth speaker:2years battery: 1 year		



GY-92 CORDLESS PORTABLE RECHARGEABLE CUP

Product weight(with battery)	0.89kg	Max power	300W
Battery weight	0.25kg	Work temperature	-10°C to +100°C
A complete set weight	1.28kg	Maximun voltage	24V
Battery	Lithium	Tank	350ml
Rate voltage	24V	Adjustable temperature	45 degree,55degree 80degree, 100degree avaiable
Amperage or capacity	3Ah		
Autonomy per battery	0.5h		
Charging time	2-2.5h		
Warranty	machine:2years battery: 1 year		

OUTDOOR COFFEE MACHINE

Parameter

Product weight(with battery)	1.29kg	Max water	140ml
Battery weight	0.65kg	Max power	20W
A complete set weight	3.28kg	Work temperature	-10 degree--100degree
Battery	Lithium	Maximun voltage	21V
Rate voltage	21V	140ml water working cup coffee	3cup
Amperage or capacity	4Ah		
Autonomy per battery	2-2.5h		
Charging time	2-2.5h		
Warranty	outdoor coffee machine:2years		

GY-90



CORDLESS MICROWAVE OVEN

Parameter

Product weight(with battery)	7kg	Max power	450W
Battery weight	0.5kg	Work temperature	-10°C to +60°C
A complete set weight	7.5kg	Maximun voltage	21V
Battery	Lithium	Tank	7L
Rate voltage	21V	Model	coffee,pizza,popcom and selfsetting
Amperage or capacity	4Ah		
Autonomy per battery	2-2.5h		
Charging time	2-2.5h		
Warranty	machine: 2years battery: 1 year		

GY-93



GY-91 BATTERY OUTDOOR FILTER

Product weight(with battery)	0.6kg	Purified water flow rate	700-100ml/min
Battery weight	0.2kg	Filter lifespan	5000L
A complete set weight	0.8kg	Filtering accuracy	0.01Micron
Battery	Lithium	Maximun voltage	3.7V
Rate voltage	3.7V		
Amperage or capacity	2.4Ah		
Charging time	2-2.5h		
Warranty	battery: 1 year		



GY-94 OUTDOOR REFRIGERATOR

Product weight(with battery)	3.29kg	Max power	60W
Battery weight	0.65kg	Temperature Range	-20degree--20degree
A complete set weight	4.28kg	Work temperature	-10°C to +60°C
Battery	Lithium	Maximun voltage	21V
Rate voltage	21V	Tank	20L
Amperage or capacity	4Ah		
Autonomy per battery	2-2.5h		
Charging time	2-2.5h		
Warranty	machine: 2years battery: 1 year		



GY-95 CORDLESS VACUUM CLEANER

Parameter



Product weight(with battery)	1.59kg	Charging 2-2.5h	2-2.5h
Battery weight	0.65kg	Warranty	against manufacturing faults 12months
A complete set weight	2.68kg	Maximum power	80W
Battery	Lithium	No loading speed	3000rpm
Rate voltage	21V	Motor	brushless
Amperage or capacity	4Ah	Maximum voltage	21V
Autonomy	2-2.5h	Noise	75-89db
		Maximum air flow rate	150L/s
		Suction power(airwatts)	50-80AW
		Tank	0.7L
		Certificate CE	

GY-98 ELECTRIC PROJECTOR

Parameter



Power	50W
Resolution	1920*1080dpi
Bluebooth connect	2.68kg
Led life	20000hrs
Autofocus	21V
Aspect ratio	16:9
Light out	3800ansi
Throw Ratio	1.3:1

CORDLESS VACUMMER AND AIR BLOWER GY-96

Parameter

Voltage	7.4V 2600mh	Blowing force	120g
Power	50W	Weight	230g
RPM	150000rpm	Temperature rise	20degree
Cover	ABS	Charger current	5V
Pressure	5000pa	Working currenct	2A
Motor	brushless motor	Product size	5A
wind speed	39.5m/s		120*105*33mm
Speed 1 working time	3hrs		
Speed 2 working time	2hrs		
Speed 3 working time	1hrs		
Speed 4 working time	45minus		
Speed 5working time	30minus		
Speed 6working time	20minus		



K SONG SPEAKER GY-99

Parameter

Power :80W	80W
Speaker size :75mm	75mm
accessors	1 speaker +2 microphone
Product size	300*120*160mm
3 speaker	
Bluebooth connect	



GY-97 CORDLESS FANS

Parameter



Battery weight	0.65kg	Max power	30W
A complete set weight	1.29kg	Motor	brush
Battery	Lithium	Work temperature	-10°C to 60°C
Rate voltage	21V	Maximum voltage	21V
Amperage or capacity	3AH	Size	10inch
Autonomy per battery	2-2.5h		
Charging time	2-2.5h		
Warranty	cordless fan 2 years battery:1 year		

GY-100 CORDLESS HANDHELD BATTERY POWERED SHOVEL WITH AUGER

Parameter



Voltage	12V	Product size	27*5.2cm
Motor	755#	Packing size	29.1*7.9*7.8cm
Power	125W	30pcs/Box	50.5*42*31cm
RPM :6500rpm	6500rpm	One pcs weight	725G
Digs holes up	8cm width *18cm length		22.5kg/30pcs
Battery :1200Mah	1200Mah		



ROBOT LAWN MOWER

GY-101 ROBOT LAWN MOWER Parameter



Battery	18V 4A	Slope max	up tp 35%(20")
Charger	21V 1.8A	Max driving speed	0.4m/s
Rate power	30W	Cutting blade	3pcs
Average charging time	50ml	Standard boundry line length	100m(328ft)
Cutting motor	brushless	Standard quantity of nails	150pcs
Driving motor	brushless	Noise	53.7Db(A)
Working time	180minus	Electric protection class	III
Rotational speed	3100rpm/min	Protection	IP56
Blade speed	2900rpm	Packing size	67.5*49*26cm
Cutting width	18cm(7")	Net weight	13.5kg
Cutting height	20-60mm (0.79"--2.36")	20/40/40HQ	324/666/740
Max working area	1000m ²		



GY-102 ROBOT LAWN MOWER Parameter



Battery	18V 2.5A	Slope max	up tp 35%(20")
Charger	21V 1.8A	Max driving speed	0.4m/s
Rate power	30W	Cutting blade	3pcs
Average charging time	50ml	Standard boundry line length	100m(328ft)
Cutting motor	brushless	Standard quantity of nails	150pcs
Driving motor	brushless	Noise	57.5Db(A)
Working time	100minus	Electric protection class	III
Rotational speed	3100rpm/min	Protection	IP56
Blade speed	2900rpm	Packing size	67.5*49*26cm
Cutting width	18cm(7")	Net weight	13.5kg
Cutting height	20-60mm (0.79"--2.36")	20/40/40HQ	324/666/740
Max working area	600m ² (0.15Acre)		

GY-103 ROBOT LAWN MOWER Parameter

Battery	18V 5A	Slope max	up tp 35%(20")
Charger	21V 1.8A	Max driving speed	0.4m/s
Rate power	30W	Cutting blade	3pcs
Average charging time	50ml	Standard boundry line length	100m(328ft)
Cutting motor	brushless	Standard quantity of nails	150pcs
Driving motor	brushless	Noise	53.7Db(A)
Working time	200minus	Electric protection class	III
Rotational speed	3100rpm/min	Protection	IP56
Blade speed	2900rpm	Packing size	67.5*49*26cm
Cutting width	18cm(7")	Net weight	13.5kg
Cutting height	20-60mm (0.79"--2.36")	20/40/40HQ	324/666/740
Max working area	1500m ²		



GY-104 Parameter

Electric Charcoal Fire Starter
Portable Charcoal Lighter
Cordless Charcoal Lighter



Battery	20V Li-ion
Capacity	2AH
Max temperature	600°C
Charging time	2.5hour
Packing type	color box
Carton size	47x36.5x687.5px
Qty in carton	10pcs
N.W./G.W.	9.9/10.7kg
Qty in 20GP	3240pcs

GY-105 Cordless Hot Knife Foam EPS XPS EPE Cutter



Battery	20V Li-ion
Capacity	2AH
Max temperature	50-500°C
Charging time	2.5hour
Packing type	color box
Carton size	47x29x30.5cm
Qty in carton	6pcs
N.W./G.W.	9.5/10kg
Qty in 20GP	3648pcs

GY-108 Cordless mini screwdriver



Voltage	3.7V 2Ah
Electric torque	3NM/4NM/5NM
Handle max torque	8NM
No-loading speed	290R/min

GY-106 CORDLESS DRILLER MINI DRILLER

Battery	12V
Motor type	brush motor
No-load speed	1250rpm
Max. drilling diameter	10mm
Weight	2.5kg
Charger	type c
Maximum clamp diameter	5mm
Maximum drilling diameter	10mm



GY-109 Cordless Waxing Cleaning Machiner Cordless Car Polisher

Rated voltage	21V
Rated input power	380W
wheel diameter	150mm(5")
No Load Speed	2800



GY-107 Cordless blower



Voltage 20V 4.0Ah	20V 4.0Ah
Motor 775#	775#
Max speed: 144Km/h(max:40m/s)	144Km/h(max:40m/s)
Max flow: 300CFM/330CFM	300CFM/330CFM
Working current ; 4~21A	4~21A
	5 speed adjustable
Working time	60min/Lower speed ;30min/middle speed ;12min/High speed

GY-110 Cordless Waxing Cleaning Machiner Cordless Car Polisher



Voltage	12V
Input power	2.0AH
Backing pad	38/50mm
Orbit	12mm/3mm
No-load speed	2000-5000r/min
Product size	34x11x25cm
Packing	4pcs/carton
Packing size	46x35x27cm

GY-111 Parameter

Cordless Waxing Cleaning Machiner
Cordless Car Polisher



Voltage	12V
Amperage	2.0A
Power	300W
No-load speed	2000-4500r/min
Backing plate size	150mm
Orbital	8mm
Product size	26x23x22cm
Packing	4pcs/carton
Packing size	54x48x24cm

GY-114 Parameter

Cordless blower



Voltage	20V 2.0Ah
Max current	13-15A(3 speed)
Max speed	60m/s
Max flow	256m³/h
3 Speed adjustable	
Working time	26min/Lower speed ;15min/Middle speed ;10min/High speed
Adjustable angle	Right : 90~0, Left :0~180
Weight	1.2Kg

GY-112 Parameter

Cordless Waxing Cleaning Machiner
Cordless Car Polisher

Voltage	20V
Amperage	4.0A
Power	300W
No-load speed	600-3000r/min
Backing plate size	150/180mm 125mm/5inch
Packing	4pcs/carton
Packing size	49x33x35cm



GY-115 Parameter

cordless weed burner

Voltage	20V Li-ion
Max temperature	650°C
Battery capacity	4000mAh x 2
Working time	15Mins
Charging time	2.5hour
Packing type	color box
Carton size	94.5x48.5x25.5cm
Qty in carton	6pcs
N.W./G.W.	9.3/11kgs
Qty in 20 GP	1380pcs



GY-113 Parameter

Cordless Waxing Cleaning Machiner
Cordless Car Polisher



Voltage	20V
Input power	4.0AH
Power	350W
Orbit	15mm
No-load speed	2300-4500r/min
Product size	47.5x15.5x16.5cm
Packing	4pcs/carton
Packing size	49x33x35cm

GY-116 Parameter

Cordless car window vacuum cleaner



Product weight(with battery)	0.59kg	Maximum	12W
Battery weight	0.2kg	Motor	brushless
A complete set weight	0.89kg	Work temperature	-10°C to +100°C
Battery	Lithium	Maximun voltage	3.7V
Rate voltage	3.7V	Rpm	2600rpm
Amperage or capacity	3Ah		
Autonomy per battery	2-2.5h		
Charging time	30minus		
Warranty	machine:2years battery: 1 year		